

AWNING FABRICS



100%
ACRYLIC



Above pictograms apply to acrylic fabrics.

ACRYLIC FABRICS

Technical data shown below are average values of the current production Die angegebenen technischen Daten sind Durchschnittswerte der laufenden Produktion Les données techniques ci-dessous sont des valeurs moyennes de la production courante	ACRYLIC	
Fabric Gewebe Tissu		Acrylic 100%, solution dyed Acryl 100%, spinndüsengefärbt Acrylique, 100% teint masse
Finishing Ausrüstung Traitement		Teflon - Cleangard
Weight Gewicht Poids total	DIN EN 12127	~ 300 g/m ²
Width Warenbreite Laize	DIN EN 1773	120 cm
Colour fastness Farbechtheit Solidité des coloris	DIN EN ISO 105-B02	7-8 / 8
Light fastness	DIN EN ISO 105-B04	7-8/8
Oil repellency Ölabweisung Oléofugation	EN ISO 14419	4-5
Water repellency Wasserabweisung Résistance au mouillage superficiel	EN ISO 4920	100
Water column Wassersäule Colonne d'eau	EN 20 811	~ 330 mm
Tensile strength (daN/5 cm) Höchstzugkraft (daN/5 cm) Résistance à la rupture (daN/5 cm)	DIN EN ISO 13934-1	~ 140 / 95
Tear resistance (daN) Weft/Warp Weiterreißkraft (daN) Schuss/Kette Résistance à la déchirure (daN) Trame/Chaîne	EN ISO 13937-2	2.3 / 4

Acrylic fabrics guarantee the highest quality of the product, providing thermal comfort and protection against UV radiation. Made 100% out of acrylic fibre, dyed in chemical solution, provide excellent protection against colour loss. UV resistance coefficient is 7-8 at 8° scale. Impregnation with use of TEFLON® or SCOTCHGARD™ agents provides an excellent protective barrier and strengthens water-repellent qualities of the fabric, also preventing dirt adhering. Resistance to leaking: 330 mm water column. The advantage of acrylic fabric is also high resistance to tensile and tear.

WATERPROOF FABRICS



Technical data shown below are average values of the current production Die angegebenen technischen Daten sind Durchschnittswerte der laufenden Produktion Les données techniques ci-dessous sont des valeurs moyennes de la production courante	ACRYLIC WATERPROOF	
Fabric Gewebe Tissu		Acrylic 100%, solution dyed Acryl 100%, spinnfärbend Acrylique 100% teint masse
Finishing Ausrüstung Traitement		Teflon - Cleangard
Weight Gewicht Poids total	DIN EN 12127	~ 330 g/m ²
Width Warenbreite Laize	DIN EN 1773	120 cm
Colour fastness Farbechtheit Solidité des coloris	DIN EN ISO 105-B02	7-8 / 8
Light fastness	DIN EN ISO 105-B04	7-8/8
Oil repellency Ölabweisung Oléofugation	EN ISO 14419	4-5
Water repellency Wasserabweisung Résistance au mouillage superficiel	EN ISO 4920	100
Water column Wassersäule Colonne d'eau	EN 20 811	~ 1000 mm
Tensile strength (daN/5 cm) Höchstzugkraft (daN/5 cm) Résistance à la rupture (daN/5 cm)	DIN EN ISO 13934-1	~ 140 / 95
Tear resistance (daN) Weft/Warp Weiterreißkraft (daN) Schuss/Kette Résistance à la déchirure (daN) Trame/Chaîne	EN ISO 13937-2	3 / 4

Waterproof acrylic fabrics are characterized by increased resistance to leaking - about 1000 mm water column. Weave structure together with modern impregnation technology provides high air permeability even on hot days. Oeko-Tex® guarantees that offered acrylic fabrics, subjected to special impregnation for water resistance, are not toxic.

SOLID


ACRYLIC FABRICS

BLANCO



2042 UV: 97% GTOT: 18%

TANDEM BLANCO



8442 UV: 40% GTOT: 18%

NATURAL




2929 UV: 97% GTOT: 18%

MARFIL



2143 UV: 97% GTOT: 16%

SIROCO




2226 UV: 98% GTOT: 12%

VANILLA




2687 UV: 97% GTOT: 17%

AMBER BEIGE




0814 UV: 99% GTOT: 15.66%

BEIGE



2038 UV: 99% GTOT: 11%

INTEGRAL




2838

UV: 99%

G_{TOT}: 8%

BERNA




2041

UV: 97%

G_{TOT}: 16%

OLIVE GREEN




0007

UV: 97,5%

G_{TOT}: 2%

GRAPHITE MELANGE



0107

UV: 97,5%

G_{TOT}: 2%

ALABASTER



0151

UV: 97,5%

G_{TOT}: 13%

LAGOON



1063

UV: 98%

G_{TOT}: 8%

MARMOL




1070

UV: 98%

G_{TOT}: 7%

RAIN



1073

UV: 99%

G_{TOT}: 16%

SHELL




1469

UV: 97%

G_{TOT}: 16%

TITANE PIGUE




6088

UV: 95%

G_{TOT}: 5%

PLATINUM PIGUE




U407 UV: 95% GTOT: 3%

ETAIN LINK



U786 UV: 100% GTOT: 1%

CELESTE LINK




U795 UV: 100% GTOT: 3%

MAGMA LINK




U808 UV: 95% GTOT: 13%

AVENA




2296 UV: 98% GTOT: 11%

LIN MELANGE




8904 UV: 95% GTOT: 11%

TWEED BROWN




0403 UV: 99% GTOT: 6.82%

MINERAL




2831 UV: 99% GTOT: 7%

VISION




2250 UV: 99% GTOT: 7%

CHAUME PIGUE



U235 UV: 100% GTOT: 9%

CAFE




2316

UV: 99%

G_{TOT}: 5%

MARBLE




0923

UV: 99%

G_{TOT}: 12.8%

TWEED LATTE



7926

UV: 98%

G_{TOT}: 15%

SNOWFLAKE



3463

UV: 95%

G_{TOT}: 22%

TWEED ARGENT




0794

UV: 98%

G_{TOT}: 19%

DARK LINEN




6727

UV: 98%

G_{TOT}: 18%

SILVER WHITE




0364

UV: 99%

G_{TOT}: 7.67%

SILVER MELANGE




0028

UV: 99%

G_{TOT}: 7.36%

TANDEM PIEDRA




8445

UV: 80%

G_{TOT}: 7%

IRON




0937

UV: 99%


G_{TOT}: 6.57%

TWEED ROCK




7151 UV: 98% GTOT: 11%

SILVER




2821 UV: 97% GTOT: 13%

SILVER GREY



U190 UV: 90% GTOT: 15%

ZIP GREY




1597 UV: 98% GTOT: 13%

PIETRA BEIGE




9415 UV: 98% GTOT: 8%

PERLA




2979 UV: 97% GTOT: 8%

ASH



0638 UV: 99% GTOT: 5.05%

ANTRACITA




8488 UV: 99% GTOT: 6%

TANDEM GRAFITO




8446 UV: 80% GTOT: 6%

EBONY TWEED



7324 UV: 98% GTOT: 10%

NEGRO




2170

UV: 99%

G_{TOT}: 5%

GRAPHITE ZIP




1524

UV: 98%

G_{TOT}: 12%

BASALT




8203

UV: 100%

G_{TOT}: 5%

FLANELLE




U104

UV: 100%

G_{TOT}: 5%

CHARCOAL TWEED



0402

UV: 99%

G_{TOT}: 5%

STITCH ANDESITE




0512

UV: 98%

G_{TOT}: 8%

STITCH CALCITE




0505

UV: 98%

G_{TOT}: 9%

STITCH RUBY




0507

UV: 98%

G_{TOT}: 9%

WHITE LINEN



8615

UV: 95%

G_{TOT}: 18%

PLATINUM



0715

UV: 90%

G_{TOT}: 12%

BREEZE




2777

UV: 99%

GTOT: 6%

MARINE




2145

UV: 99%

GTOT: 5%

AZUL




2018

UV: 99%

GTOT: 7%

ORANGE




2050

UV: 99%

GTOT: 13%

BRIGHT RED




2211

UV: 99%

GTOT: 10%

RIOJA




2210

UV: 99%

GTOT: 8%

CARMIN PIGUE




U411

UV: 100%

GTOT: 10%

GRANATE




2101

UV: 99%

GTOT: 6%

CURRY




U105

UV: 100%

GTOT: 12%

AMARILLO




2013

UV: 99%

GTOT: 15%

OCRE



2180

UV: 99%

GTOT: 13%

JADE




0396

UV: 99%

GTOT: 8.12%

VERDE BOTELLA



2245


UV: 99%

GTOT: 6%

WATERPROOF

ACRYLIC FABRICS

BLANCO




8268

UV: 97%

GTOT: 18%

MARFIL




8272

UV: 97%

GTOT: 16%

AMARILLO




8265

UV: 99%

GTOT: 15%

COCO




2047

UV: 99%

GTOT: 9%

GRIS




8271

UV: 99%

GTOT: 7%

ANTRACITA




2796

UV: 99%

GTOT: 6%

TWEED NEGRO




2085

UV: 99%

GTOT: 6%

NEGRO




8275

UV: 99%

GTOT: 5%

TOAST WATERPROF



1470

UV: 98%

GTOT: 12%

TWEED GRIS WATERPROF



3581

UV: 99%

GTOT: 7%

ECO WEAVE

ACRYLIC FABRICS

MALENCO




3802

UV: 96%

GTOT: 4%

RITTEN




3702

UV: 96%

GTOT: 6%

SECEDA



3401

UV: 96%

GTOT: 7%

MARMOLADA



3101


UV: 96%

GTOT: 10%

LANDSCAPE

ACRYLIC FABRICS

GOBI




4658 UV: 99% GTOT: 11.32% RAPPORT: 24 cm

BEACH




4662 UV: 99% GTOT: 16.37% RAPPORT: 24 cm

SAHARA DUST




4639 UV: 99% GTOT: 10.18% RAPPORT: 24 cm

CLIFFS



4643 UV: 99% GTOT: 6.78% RAPPORT: 24 cm

LADAKH




4655 UV: 99% GTOT: 5.91% RAPPORT: 24 cm

FJORD



4644 UV: 99% GTOT: 7.8% RAPPORT: 24 cm

NAMIB



4640 UV: 99% GTOT: 5.04% RAPPORT: 24 cm

VULCANO




4665 UV: 99% GTOT: 5% RAPPORT: 24 cm

LANDSCAPE MINI

ACRYLIC FABRICS

CLAY




4627 UV: 99% GTOT: 11.3% RAPPORT: 2 cm

SAND



4620 UV: 99% GTOT: 11.4% RAPPORT: 2 cm

GRAVEL



4621 UV: 99% GTOT: 8.1% RAPPORT: 2 cm

ORCHESTRA


ACRYLIC FABRICS

NAPLES LINEN




D307 UV: 95% G_{TOT}: 13% RAPPORT: 20 cm

NAPLES HEATHER




D305 UV: 90% G_{TOT}: 11% RAPPORT: 20 cm

NAPLES LIGHT GREY




D304 UV: 90% G_{TOT}: 11% RAPPORT: 20 cm

NAPLES STONE




D113 UV: 95% G_{TOT}: 7% RAPPORT: 20 cm

PENCIL YELLOW



D323 UV: 95% G_{TOT}: 13% RAPPORT: 30 cm

PENCIL DARK GREY




D319 UV: 100% G_{TOT}: 8% RAPPORT: 30 cm

URBAN


ACRYLIC FABRICS

CANDLELIGHT



0990 UV: 99% G_{TOT}: 14% RAPPORT: 6 cm

CONCRETE



0993 UV: 99% G_{TOT}: 10.8% RAPPORT: 6 cm

TIMBER




0992 UV: 99% G_{TOT}: 9.6% RAPPORT: 6 cm

CLASSICAL


ACRYLIC FABRICS

CLASSICAL GRIS




2103 UV: 97% G_{TOT}: 16% RAPPORT: 20 cm

CLASSICAL AMARILLO



2015 UV: 97% G_{TOT}: 15% RAPPORT: 20 cm

CLASSICAL MOSSY TWEED




9878 UV: 98% G_{TOT}: 15% RAPPORT: 20 cm

CLASSICAL BEIGE



2275 UV: 98% G_{TOT}: 14% RAPPORT: 20 cm

CLASSICAL MARRON-BEIGE



2148 UV: 99% G_{TOT}: 9% RAPPORT: 20 cm

CLASICAL NEGRO



2171 UV: 99% G_{TOT}: 6% RAPPORT: 20 cm